## **Food - Risk Based Inspection Report**

			•	•				
1.	•	ment of Regulatory Servi		Total Violations	0	Date of Inspection	04/22/2011	
11		of Environmental Manage	•	Critical Violations	0			
minneapolis	250 Soi	,	4, Minneapolis, Minnesota 55415	License Current and Posted	Yes	Inspection Time	10:30 AM	
city of lakes		612-673-2170 FAX: 612-63 ttp://www.ci.minneapolis.mr	73-2635 TTY: 612-673-2233 n.us/environmental-health/	Reinspection Needed No		Time Out	11:00 AM	
Facility Name WORLD STREET KITCHEN	- 1	Address 123 3RD ST N #101	City/State MINNEAPOLIS, MN	Zip Code 55401		Telephon (612) 840-2		
License #	Owner		Inspection Purpose	License Type		Risk Cate	Risk Category	
L158-50048		SAMEH WADI	Routine	MOBILE FOOD V	'ENDOR	2		

				FOODB	ORNE ILLNESS RIS	SK FACTORS	AND	PUBL	C HEALTH INTERVENTIONS			
	IN=in	compliance	OUT=not in co	mpliance	N/O=not observed	d N/A=not ap	plicat	ole	COS=corrected on-site during inspection R=repeat violation			
Com	pliance	e Status				COS R	Con	nplianc	e Status			
Foodborne Illness Risk Factors and Public Health Interventions						Foodborne Illness Risk Factors and Public Health Interventions						
1A IN Certified food manager; and duties fulfilled.						15	IN	Proper disposition of returned, previously served,				
1B	1B IN PIC knowledgeable, duties & oversight								reconditioned, and unsafe foods			
2 IN Management awareness and policy regarding handling				16	N/O	Proper cooking time and temperature						
		employee h	nealth situations				17	N/O	Proper reheating procedures for hot holding			
3	IN	Proper use	of reporting, res	striction &	exclusion		18	N/O	Proper cooling time and temperatures			
4	IN		oyees eat, drink				19	N/O	Proper hot holding temperatures			
					sil more than once t	:0	20	N/A	Proper cold holding temperatures			
<u> </u>	INI		hat is sold or se		tt		21	N/A	Proper date marking and disposition			
5	5 IN Food employees experiencing persistent sneezing, coughing, or runny nose do not work with exposed food,					22 N/A Time as a public health control: procedures and records						
		clean equipment, utensils, linens, unwrapped single-service					25	N/A	Food additives; approved and properly used			
		or single-us	se articles				26	IN	Toxic substances properly identified, stored & used			
6	IN	Hands clea	in and properly v	washed			27	N/A	Compliance with HACCP plan and variance			
7	IN	limited by u		, spatulas	ady-to-eat food is , tongs, dispensing essible				factors are improper practices or procedures identified as the most lent contributing factors of foodborne illness or injury. Public Health			
8	IN	Handwashi	ng Facilities	•	•	•		Interventions are control measures to prevent foodborne illness or inju				
9	IN	Food obtain	ned from approv	ed source	)	•						
	_						1 1					

GOOD RETAIL PRACTICES

Good Retail Practices are preventative measures to control the addition of pathogens, chemicals, and physical objects into foods.

Food received at proper temperature

Food in good condition, safe, and unadulterated

Food-contact surfaces: cleaned & sanitized

Required records available; shellstock tags, parasite

Food separated/protected from cross contamination

11

12

13

14

IN

N/A

•			Compliance Status				
		Good Retail Practices	Good Retail Practices				
28	IN	Pasteurized eggs used where required	43	IN	Single-use and single-service articles; properly stored &		
29	IN	Water and ice from approved source			used		
30	IN	Variance obtained for specialized processing methods	44	IN	Gloves used properly		
31	IN	Proper cooling methods used; adequate equipment for temperature control	45	IN	Food and nonfood-contact surfaces cleanable, properly designed, constructed, and used		
32	IN	Plant food properly cooked for hot holding	46	IN	Warewashing facilities: installed, maintained, and used; test		
33	IN	Approved thawing methods used			strips.(Accurate thermometers,chemical test kits provided, gauge cock)		
34	IN	Thermometers provided and accurate	47	IN	Nonfood contact surfaces clean		
35	IN	Food properly labeled; original container	48	IN	Hot and cold water available; capacity; adequate pressure		
36	IN	Insects, rodents, and animals not present; no unauthorized	49	IN	Plumbing installed, maintained, proper backflow devices		
		persons; food employees do not handle or care for animals present	50	IN	Sewage and waste water properly disposed		
37	IN	Contamination prevented during food preparation, storage	51	IN	Toilet facilities properly constructed, supplied and cleaned		
		and display; segregated distressed products-non critical	52	IN	Garbage and refuse properly disposed: facilities maintained		
		items	53	IN	Physical facilities installed, maintained, and clean		
38	IN	Personal cleanliness (fingernails, jewelry, other clothing, hair	54	IN	Adequate ventilation and lighting; designated areas used		
20	INI	restrains)	55	IN	Compliance with MCIAA and Choking Poster		
39	IN	Wiping cloths,sponges; properly used and stored	56	IN	Compliance with licensing and plan review		
40	IN	Washing fruits and vegetables	57	IN	Other Violations Noted		
41	IN	In-use utensils; properly stored	58	IN	City of Minneapolis Food Code		
42	IN	Utensils, equipment, and linens: properly stored, dried, and handled	- 50		on, or minimapone . and and		

## Food - Risk Based Inspection Report

1											
	Depa	rtment of Regulato	ory Services			Total	Violations	0	Date of	04/22/2011	
11		sion of Environmental Management & Safety ronmental Health & Food Safety South Fourth Street, Room 414, Minneapolis, Minnesota 55415				Critical	Violations	0	Inspection		
/ min						License Co	urrent and	Yes	Inspection Time	10:30 AM	
cit	, 19 111111		X: 612-673-2635 TTY apolis.mn.us/environi		3	Re	Posted inspection Needed	No	Time Out	11:00 AM	
Facility Name WORLD STREET KI	TCHEN	Address 123 3RD ST N #	City/s	State EAPOLIS, MN	ı	Zip C 55401	ode		Telephon (612) 840-2		
License # L158-50048		Owner SAMEH WADI		Inspection Purpose Routine			se Type E FOOD V	ENDOR	Risk Category		
Itam/I costion	Food Town	FOODBORNE							Food Town	Air Tamp	
Item/Location	Food Temp	Air Temp	Item/Location	Food T	emp	Air Temp	Item/Lo	ocation	Food Temp	Air Temp	
Sanitizer Location	on	Method Used		 TIZER INFOR Sanitizer P			Sanitizer Us	sed	Water T	emp.	
Construction	)/ N	<b>-</b> ·	Construction						D. i ii.	<b>D</b> 1	
Remodeling		Equipment	Emailed (		R	einspectio		<b>a</b>	Reinspectio	n Date	
No	_	No	OBSERVATION		RECTIVE A	No ACTIONS					
Item Number		Vio	olations cited in this re	eport must be c	orrected wit	thin the time fr	ames below.				
Comments:											
Stickered with DID	#1 and Mobile #	42 stickers.									
i e			CERTIFIED F	OOD MANAGE	R INFORM	MATION					
			Certification	OOD MANAGE on #: Name:	SAMEH W	ADI					
This inspection report	t is based on City	of Minneapolis reg	Certifications which can	on #: Name: be viewed at	SAMEH W.	ADI ng website: h	http://library.	municode.c	com/index.aspx?	s noted were	
clientId=11490&state identified either by ob	Id=23&stateName servation or durin	of Minneapolis reg e=minnesota It lists g our discussion o	Certifications which can be corrections and imf f your current safety	on #: Name: be viewed at aprovements r y standards/sy	SAMEH W the followineeded to stems. Yo	ADI ng website: <u>t</u> reduce the ho ou are respor	ealth and sa	fety risk fac	ctors. The conditions	s noted were	
clientId=11490&state identified either by ob immediately or by the	Id=23&stateName eservation or durin e fix-by-date listed.	of Minneapolis reg <u>=minnesota</u> It lists g our discussion o Please call me if y	Certifications which can scorrections and im f your current safety you have questions	bn #: Name: be viewed at nprovements r y standards/sy or need addit	SAMEH Wathe following the foll	ADI ng website: he	ealth and sa nsible for co	fety risk fac rrecting all v	ctors. The conditions violations noted abo	ove	
clientId=11490&state identified either by ob immediately or by the Failure to comply with	Id=23&stateName bservation or durin fix-by-date listed.	of Minneapolis reg eminnesota It lists g our discussion o Please call me if y	Certification pulations which can someoff corrections and im f your current safety you have questions ay result in civil, administrations are result in civil, administrations are considered.	on #: Name: be viewed at approvements r y standards/sy or need addit ministrative or	SAMEH W the followineeded to ystems. You tional infor criminal e	ADI ng website: he he reduce the he ou are respore mation.  nforcement a	ealth and sansible for co	fety risk fac rrecting all v	ctors. The conditions violations noted about the conditions noted about the conditions are the conditions.	ity official is	
clientId=11490&state identified either by ob immediately or by the Failure to comply with	Id=23&stateName eservation or durin e fix-by-date listed. n applicable laws a minimum adminis	of Minneapolis reg eminnesota It lists g our discussion o Please call me if y and regulations ma trative citation of \$	Certification pulations which can be corrections and im f your current safety you have questions ay result in civil, admits 2000 per violation and pulation and carried to the control of the carried to	be viewed at approvements ry standards/sy or need additioning traitive or not one hundre	SAMEH W the followineeded to ystems. You tional infor criminal e	ADI ng website: he he reduce the he ou are respore mation.  nforcement a	ealth and sansible for co	fety risk fac rrecting all v	ctors. The conditions violations noted about the conditions noted about the conditions are the conditions.	ity official is	
identified either by ob immediately or by the Failure to comply with authorized to issue a	Id=23&stateName pservation or durin pfix-by-date listed. In applicable laws a minimum adminis ach time for same ured for all constru	of Minneapolis reg <u>==minnesota</u> It lists g our discussion o Please call me if y and regulations ma trative citation of \$ or similar repeat vi	Certification which can so corrections and im f your current safety you have questions ay result in civil, admission are violation are violations with in 24 relectrical and mecha	be viewed at a provements r y standards/sy s or need addirministrative or nd one hundremonths.	SAMEH W. the followineeded to restems. You tional information of the criminal end dollar (\$ ork must be	ADI ng website: the highest reduce the highest responsible to the performation.  Inforcement as the performed responsible to the performed reduced the performance reduced the performed reduced the performed reduced the performance r	ealth and sansible for continuous for any substitutions by a license	fety risk fac rrecting all v appliance is a sequent re-i	etors. The conditions violations noted about the Cinct achieved, the Cinct achieved, the Amount achieved, the Amount achieved, the Amount achieved the Cinct achieved	ity official is ount of the	
clientId=11490&state identified either by ob immediately or by the Failure to comply with authorized to issue a citation will double ea Permits must be secu	Id=23&stateName pservation or durin e fix-by-date listed. In applicable laws a minimum adminis ach time for same ured for all constru- ment Review, 250	of Minneapolis regeminnesota It lists gour discussion of Please call me if yand regulations matrative citation of \$ or similar repeat viaction, plumbing, el South 4th Street,	Certifications which can a corrections and imf your current safety you have questions ay result in civil, admission per violation are iolations with in 24 relectrical and mecha Room 300, Minnea	be viewed at a provements represented by standards/systements or a contract of the standards of the standard	SAMEH Withe following the following the following the systems. You tional information or the following the followi	ADI ng website: he reduce the he ou are responsation.  Inforcement as 100.00) fee one performed 673-3000 or	ealth and sansible for condition. If confor any subsubsubsubsubsubsubsubsubsubsubsubsubs	fety risk fac rrecting all values appliance is a sequent re-i and contractor (12) 673-330	etors. The conditions violations noted about achieved, the Cinspection. The amount Permits are obtains (TTY).	ove ity official is ount of the ined at	
clientId=11490&state identified either by ob immediately or by the Failure to comply with authorized to issue a citation will double ea Permits must be secu Minneapolis Develop	Id=23&stateName servation or durin if ix-by-date listed. In applicable laws a minimum adminis ich time for same ured for all constru ment Review, 250 is and Consumer S  English - Attenti Hmong - Ceeb to Spanish - Atenci Somali - Ogow. I	of Minneapolis reg ⇒minnesota It lists g our discussion o Please call me if y and regulations ma trative citation of \$ or similar repeat vi action, plumbing, el South 4th Street, dervices grants FIN  on. If you want hel oom. Yog koj xav t ión. Si desea recib Haddii aad dooney	Certifications which can a corrections and imf your current safety you have questions ay result in civil, admission per violation are iolations with in 24 relectrical and mecha Room 300, Minnea	be viewed at hyprovements ray standards/sys or need additional ministrative or need need need need need need need nee	SAMEH Withe following developed to be deeded to be detected to be deeded to be deed	ADI ng website: It reduce the hou are responsation.  Inforcement as 100.00) fee to performed 673-3000 or leat City Hall, 3 673-5844.  The control of the house of	ealth and sansible for condition. If confor any substitution by a license dial 311, (6:50 South 4t	fety risk fac rrecting all v appliance is requent re-i ed contractor (12) 673-330 h Street, Ro	etors. The conditions violations noted about achieved, the Cinspection. The amount of the control of the contro	ove ity official is ount of the ined at	
clientId=11490&state identified either by ob immediately or by the Failure to comply with authorized to issue a citation will double ea Permits must be secu Minneapolis Developi Minneapolis Licenses	Id=23&stateName servation or durin if ix-by-date listed. In applicable laws a minimum adminis ich time for same ured for all constru ment Review, 250 is and Consumer S  English - Attenti Hmong - Ceeb to Spanish - Atenci Somali - Ogow. I	of Minneapolis reg ⇒minnesota It lists g our discussion o Please call me if y and regulations ma trative citation of \$ or similar repeat vi action, plumbing, el South 4th Street, dervices grants FIN  on. If you want hel oom. Yog koj xav t ión. Si desea recib Haddii aad dooney	Certifications which can so corrections and im f your current safety you have questions ay result in civil, admost and per violation and in the common street and mechan Room 300, Minnea IAL approval for open punderstanding this au key pab txhais coir asistencia gratuit you in lagaa kaalme	be viewed at hyprovements ray standards/sys or need additional ministrative or need need need need need need need nee	SAMEH Withe following developed to be deeded to be detected to be deeded to be deed	ADI ng website: It reduce the hou are responsation.  Inforcement as 100.00) fee to performed 673-3000 or leat City Hall, 3 673-5844.  The control of the house of	ealth and sansible for condition. If confor any substitution by a license dial 311, (6:50 South 4t	fety risk factorecting all values and contractors and contractors and contractors are street, Rosert	etors. The conditions violations noted about achieved, the Cinspection. The amount of the control of the contro	ove ity official is ount of the ined at	
clientId=11490&state identified either by ob immediately or by the Failure to comply with authorized to issue a citation will double ea Permits must be secu Minneapolis Developi	Id=23&stateName servation or durin if ix-by-date listed. In applicable laws a minimum adminis ich time for same ured for all constru ment Review, 250 is and Consumer S  English - Attenti Hmong - Ceeb to Spanish - Aetenci Somali - Ogow. I  Deaf and Hard of  ficer, 612-673-359	of Minneapolis reg ⇒minnesota It lists g our discussion o Please call me if y and regulations ma trative citation of \$ or similar repeat vi action, plumbing, el South 4th Street, dervices grants FIN com. If you want helpom. Yog koj xav t tón. Si desea recib Haddii aad dooney of Hearing Access	Certifications which can second considerations which can second considerations and important the consideration of your current safety you have questions as result in civil, admits a personal consideration of the conside	on #: Name: be viewed at a provements recovered to the provements of the provement of the p	SAMEH Withe following developed to be deeded to be detected to be deeded to be deed	ADI ng website: It reduce the hou are responsation.  Inforcement as 100.00) fee to performed 673-3000 or leat City Hall, 3 673-5844.  The control of the house of	ealth and sansible for condition. If confor any substitution by a license dial 311, (6:50 South 4t	fety risk factrecting all values in pliance is a sequent relied contractor (12) 673-330 h Street, Roser (612) 673-2700. In wac (612) HS	etors. The conditions violations noted about achieved, the Cinspection. The amount of the control of the contro	ove ity official is ount of the ined at	
clientId=11490&state identified either by ob immediately or by the Failure to comply with authorized to issue a citation will double ea Permits must be secu Minneapolis Develope Minneapolis Licenses	Id=23&stateName servation or durin if ix-by-date listed. In applicable laws a minimum adminis ich time for same ured for all constru ment Review, 250 is and Consumer S  English - Attenti Hmong - Ceeb to Spanish - Aetenci Somali - Ogow. I  Deaf and Hard of  ficer, 612-673-359	of Minneapolis reg ⇒minnesota It lists g our discussion o Please call me if y and regulations ma trative citation of \$ or similar repeat vi action, plumbing, el South 4th Street, dervices grants FIN com. If you want helpom. Yog koj xav t tón. Si desea recib Haddii aad dooney of Hearing Access	Certifications which can so corrections and im f your current safety you have questions ay result in civil, admost and per violation and in the common street and mechan Room 300, Minnea IAL approval for open punderstanding this au key pab txhais coir asistencia gratuit you in lagaa kaalme	on #: Name: be viewed at a provements recovered to the provements of the provement of the p	SAMEH Withe following developed to be deeded to be detected to be deeded to be deed	ADI ng website: It reduce the hou are responsation.  Inforcement as 100.00) fee to performed 673-3000 or leat City Hall, 3 673-5844.  The control of the house of	ealth and sansible for condition. If confor any substitution by a license dial 311, (6:50 South 4t	fety risk factrecting all value is recting all value is requent relied contractors for a street, Rotal Street, Rot	etors. The conditions violations noted about achieved, the Cinspection. The amount of the control of the contro	ove ity official is ount of the ined at	