

 Denver Environmental Health Body Art Facility Inspection Report		Type of Inspection 1. RegularX 2. Follow-up 3. Complaint 4. Temp Event		Date4/16/15																																																																																																																																																																												
				Est. #1031642																																																																																																																																																																												
				Exp4/4/16																																																																																																																																																																												
Facility Name 80D/Roselady Tattoo		Phone #		Legend: C = Compliance NC = Non-Compliance NA = Not applicable																																																																																																																																																																												
Address 1502 Perry CityDenver Zip																																																																																																																																																																																
Manager Deb or Andee Liggett																																																																																																																																																																																
<table border="1"> <thead> <tr> <th>C</th> <th>NC</th> <th>NA</th> <th>Sect.</th> <th></th> </tr> </thead> <tbody> <tr> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td>A1-2</td> <td>BODY ARTIST UP knowledge & renewal (3 years), HBV</td> </tr> <tr> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td>2A4</td> <td>BUSINESS LICENSE Knowledge, paperwork, license</td> </tr> <tr> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td>3A</td> <td>EMPLOYEE INFORMATION Legal name, home address, phone number, HBV proof</td> </tr> <tr> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td>3B1-6</td> <td>FACILITY RECORDS Sharps disposal, spore test log, client records, manufacturer's info on sterilization equip, written infection control procedures</td> </tr> <tr> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td>5A</td> <td>CUSTOMER RECORDS For minimum of 2 years</td> </tr> <tr> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td>5B1-8</td> <td>CLIENT MEDICAL HISTORY Proper documented risk factors</td> </tr> <tr> <td><input type="checkbox"/></td> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/></td> <td>5C1-6</td> <td>CLIENT CONSENT FORMS Client info, procedure date, type and location of body art, aftercare, side effects</td> </tr> <tr> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td>6</td> <td>FLOORS, WALLS AND CEILINGS Construction, outer openings protected, compliance</td> </tr> <tr> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td>7A-B</td> <td>PREMISES Clean, good repair</td> </tr> <tr> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td>7C</td> <td>LIGHTING 50 ft candles</td> </tr> <tr> <td><input type="checkbox"/></td> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/></td> <td>7D</td> <td>SURFACES Construction in critical areas</td> </tr> <tr> <td><input type="checkbox"/></td> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/></td> <td>7E</td> <td>HANDSINKS Hot & cold, accessible to procedure areas, toilet areas, soap and drying devices</td> </tr> <tr> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td>7F</td> <td>SEPARATION OF EQUIPMENT Cleaning, packaging, handling, storage</td> </tr> <tr> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td>7G</td> <td>SEPARATION OF SINKS Handwashing, instrument cleaning, utility</td> </tr> <tr> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td>7J</td> <td>WAITING AREA; TOILET FACILITIES Separated, construction, availability</td> </tr> <tr> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td>7K</td> <td>REUSABLE CLOTH ITEMS Mechanically washed 140 degrees + or disinfectant or heat dryer</td> </tr> <tr> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td>7L</td> <td>ANIMALS Prohibited in critical areas</td> </tr> <tr> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td>7M</td> <td>REFUSE Lined receptacles, frequency of disposal</td> </tr> <tr> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td>7N</td> <td>HANDLING SHARPS / INFECTIOUS WASTE Sharps containers, bio-hazard bags, contracted treatment facility, on site disposal, labeling, storage, use of chemicals</td> </tr> <tr> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input checked="" type="checkbox"/></td> <td>8-9</td> <td>TEMPORARY EVENT Waste water collected, handwashing facilities, on site sterilization or negative spore test (30 days)</td> </tr> </tbody> </table>	C	NC	NA	Sect.		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	A1-2	BODY ARTIST UP knowledge & renewal (3 years), HBV	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	2A4	BUSINESS LICENSE Knowledge, paperwork, license	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	3A	EMPLOYEE INFORMATION Legal name, home address, phone number, HBV proof	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	3B1-6	FACILITY RECORDS Sharps disposal, spore test log, client records, manufacturer's info on sterilization equip, written infection control procedures	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	5A	CUSTOMER RECORDS For minimum of 2 years	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	5B1-8	CLIENT MEDICAL HISTORY Proper documented risk factors	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	5C1-6	CLIENT CONSENT FORMS Client info, procedure date, type and location of body art, aftercare, side effects	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	6	FLOORS, WALLS AND CEILINGS Construction, outer openings protected, compliance	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	7A-B	PREMISES Clean, good repair	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	7C	LIGHTING 50 ft candles	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	7D	SURFACES Construction in critical areas	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	7E	HANDSINKS Hot & cold, accessible to procedure areas, toilet areas, soap and drying devices	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	7F	SEPARATION OF EQUIPMENT Cleaning, packaging, handling, storage	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	7G	SEPARATION OF SINKS Handwashing, instrument cleaning, utility	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	7J	WAITING AREA; TOILET FACILITIES Separated, construction, availability	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	7K	REUSABLE CLOTH ITEMS Mechanically washed 140 degrees + or disinfectant or heat dryer	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	7L	ANIMALS Prohibited in critical areas	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	7M	REFUSE Lined receptacles, frequency of disposal	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	7N	HANDLING SHARPS / INFECTIOUS WASTE Sharps containers, bio-hazard bags, contracted treatment facility, on site disposal, labeling, storage, use of chemicals	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	8-9	TEMPORARY EVENT Waste water collected, handwashing facilities, on site sterilization or negative spore test (30 days)	<table border="1"> <thead> <tr> <th>C</th> <th>NC</th> <th>NA</th> <th>Sect.</th> <th></th> </tr> </thead> <tbody> <tr> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input checked="" type="checkbox"/></td> <td>8-9</td> <td>TEMPORARY EVENT Clean up</td> </tr> <tr> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td>10</td> <td>INFECTION / EXPOSURE CONTROL WRITTEN PROCEDURES Compliance, instrument and procedure area cleaning and sterilization, UP procedures, infectious waste management</td> </tr> <tr> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td>11A</td> <td>STERILIZER REQUIREMENTS Sterilizer must be steam autoclave, clean and maintained</td> </tr> <tr> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td>11A5</td> <td>SINGLE USE ITEMS Proper disposal, no re-use</td> </tr> <tr> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td>11B</td> <td>INSTRUMENT CLEANING Packaging & sterilization, glove use – multi use, soaked, disassembled</td> </tr> <tr> <td><input type="checkbox"/></td> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/></td> <td>11C</td> <td>INSTRUMENT PACKAGING / WRAPPING Clean gloves, sterilizer indicator, labeled with sterilization time & date</td> </tr> <tr> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td>11D</td> <td>INSTRUMENT STERILIZATION Labeled medical instrument, operators manual, cleaned & maintained, load log available w/instrument description, date & time cycle time & temperature (2 years)</td> </tr> <tr> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td>11E</td> <td>STERILIZED INSTRUMENTS Hands washed prior to handling, store in dry & clean area</td> </tr> <tr> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td>11F</td> <td>SPORE TESTING Monthly, maintain records (2 years), use of lab</td> </tr> <tr> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td>12A</td> <td>PROHIBITIONS Persons under influence, smoking, eating, drinking in procedure/instrument cleaning areas, procedures on unhealthy conditions</td> </tr> <tr> <td><input checked="" type="checkbox"/></td> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/></td> <td>12B</td> <td>BODY ARTIST'S PRACTICES Handwashing between clients, new clean groves, fresh linens, instruments remaining packaged prior to use, cross-contamination prevention, supplies properly disposed, disinfection of procedure area</td> </tr> <tr> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td>12C</td> <td>TATTOOING PROCEDURES Hectographic or single-use stencils for outlines, non-toxic single use markers for free hand, multi-use stencils only if disinfected prior to use, area cleaned and treated, unused ink properly disposed, excess ink properly removed after body area covered.</td> </tr> <tr> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input checked="" type="checkbox"/></td> <td>12D</td> <td>BODY PIERCING PROCEDURES Needles are sterile, single use, manufactured for use, disposed properly, jewelry is new or disinfected, clean and good repair, studs-and-clasp used according to manufacturer</td> </tr> </tbody> </table>	C	NC	NA	Sect.		<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	8-9	TEMPORARY EVENT Clean up	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	10	INFECTION / EXPOSURE CONTROL WRITTEN PROCEDURES Compliance, instrument and procedure area cleaning and sterilization, UP procedures, infectious waste management	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	11A	STERILIZER REQUIREMENTS Sterilizer must be steam autoclave, clean and maintained	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	11A5	SINGLE USE ITEMS Proper disposal, no re-use	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	11B	INSTRUMENT CLEANING Packaging & sterilization, glove use – multi use, soaked, disassembled	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	11C	INSTRUMENT PACKAGING / WRAPPING Clean gloves, sterilizer indicator, labeled with sterilization time & date	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	11D	INSTRUMENT STERILIZATION Labeled medical instrument, operators manual, cleaned & maintained, load log available w/instrument description, date & time cycle time & temperature (2 years)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	11E	STERILIZED INSTRUMENTS Hands washed prior to handling, store in dry & clean area	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	11F	SPORE TESTING Monthly, maintain records (2 years), use of lab	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	12A	PROHIBITIONS Persons under influence, smoking, eating, drinking in procedure/instrument cleaning areas, procedures on unhealthy conditions	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	12B	BODY ARTIST'S PRACTICES Handwashing between clients, new clean groves, fresh linens, instruments remaining packaged prior to use, cross-contamination prevention, supplies properly disposed, disinfection of procedure area	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	12C	TATTOOING PROCEDURES Hectographic or single-use stencils for outlines, non-toxic single use markers for free hand, multi-use stencils only if disinfected prior to use, area cleaned and treated, unused ink properly disposed, excess ink properly removed after body area covered.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	12D	BODY PIERCING PROCEDURES Needles are sterile, single use, manufactured for use, disposed properly, jewelry is new or disinfected, clean and good repair, studs-and-clasp used according to manufacturer
C	NC	NA	Sect.																																																																																																																																																																													
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	A1-2	BODY ARTIST UP knowledge & renewal (3 years), HBV																																																																																																																																																																												
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	2A4	BUSINESS LICENSE Knowledge, paperwork, license																																																																																																																																																																												
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	3A	EMPLOYEE INFORMATION Legal name, home address, phone number, HBV proof																																																																																																																																																																												
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	3B1-6	FACILITY RECORDS Sharps disposal, spore test log, client records, manufacturer's info on sterilization equip, written infection control procedures																																																																																																																																																																												
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	5A	CUSTOMER RECORDS For minimum of 2 years																																																																																																																																																																												
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	5B1-8	CLIENT MEDICAL HISTORY Proper documented risk factors																																																																																																																																																																												
<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	5C1-6	CLIENT CONSENT FORMS Client info, procedure date, type and location of body art, aftercare, side effects																																																																																																																																																																												
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	6	FLOORS, WALLS AND CEILINGS Construction, outer openings protected, compliance																																																																																																																																																																												
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	7A-B	PREMISES Clean, good repair																																																																																																																																																																												
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	7C	LIGHTING 50 ft candles																																																																																																																																																																												
<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	7D	SURFACES Construction in critical areas																																																																																																																																																																												
<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	7E	HANDSINKS Hot & cold, accessible to procedure areas, toilet areas, soap and drying devices																																																																																																																																																																												
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	7F	SEPARATION OF EQUIPMENT Cleaning, packaging, handling, storage																																																																																																																																																																												
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	7G	SEPARATION OF SINKS Handwashing, instrument cleaning, utility																																																																																																																																																																												
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	7J	WAITING AREA; TOILET FACILITIES Separated, construction, availability																																																																																																																																																																												
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	7K	REUSABLE CLOTH ITEMS Mechanically washed 140 degrees + or disinfectant or heat dryer																																																																																																																																																																												
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	7L	ANIMALS Prohibited in critical areas																																																																																																																																																																												
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	7M	REFUSE Lined receptacles, frequency of disposal																																																																																																																																																																												
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	7N	HANDLING SHARPS / INFECTIOUS WASTE Sharps containers, bio-hazard bags, contracted treatment facility, on site disposal, labeling, storage, use of chemicals																																																																																																																																																																												
<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	8-9	TEMPORARY EVENT Waste water collected, handwashing facilities, on site sterilization or negative spore test (30 days)																																																																																																																																																																												
C	NC	NA	Sect.																																																																																																																																																																													
<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	8-9	TEMPORARY EVENT Clean up																																																																																																																																																																												
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	10	INFECTION / EXPOSURE CONTROL WRITTEN PROCEDURES Compliance, instrument and procedure area cleaning and sterilization, UP procedures, infectious waste management																																																																																																																																																																												
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	11A	STERILIZER REQUIREMENTS Sterilizer must be steam autoclave, clean and maintained																																																																																																																																																																												
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	11A5	SINGLE USE ITEMS Proper disposal, no re-use																																																																																																																																																																												
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	11B	INSTRUMENT CLEANING Packaging & sterilization, glove use – multi use, soaked, disassembled																																																																																																																																																																												
<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	11C	INSTRUMENT PACKAGING / WRAPPING Clean gloves, sterilizer indicator, labeled with sterilization time & date																																																																																																																																																																												
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	11D	INSTRUMENT STERILIZATION Labeled medical instrument, operators manual, cleaned & maintained, load log available w/instrument description, date & time cycle time & temperature (2 years)																																																																																																																																																																												
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	11E	STERILIZED INSTRUMENTS Hands washed prior to handling, store in dry & clean area																																																																																																																																																																												
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	11F	SPORE TESTING Monthly, maintain records (2 years), use of lab																																																																																																																																																																												
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	12A	PROHIBITIONS Persons under influence, smoking, eating, drinking in procedure/instrument cleaning areas, procedures on unhealthy conditions																																																																																																																																																																												
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	12B	BODY ARTIST'S PRACTICES Handwashing between clients, new clean groves, fresh linens, instruments remaining packaged prior to use, cross-contamination prevention, supplies properly disposed, disinfection of procedure area																																																																																																																																																																												
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	12C	TATTOOING PROCEDURES Hectographic or single-use stencils for outlines, non-toxic single use markers for free hand, multi-use stencils only if disinfected prior to use, area cleaned and treated, unused ink properly disposed, excess ink properly removed after body area covered.																																																																																																																																																																												
<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	12D	BODY PIERCING PROCEDURES Needles are sterile, single use, manufactured for use, disposed properly, jewelry is new or disinfected, clean and good repair, studs-and-clasp used according to manufacturer																																																																																																																																																																												

Facility Name: __80D/Roselady Tattoo__

NUMBER	VIOLATION		CORRECT BY:
5C1-6	The following information is not being recorded on all client consent forms: type/location of body art, sterilization date or package/lot number used during the procedure (needles, tubes, etc) and source/manufacturer and lot number of ink, pigment or dye used during the procedure. This information shall be recorded on all client consent forms.		4/17
7D	Cloth artist chairs were present in 2 workstations. All surfaces in procedure areas shall be made of smooth, nonabsorbent materials to allow for easy cleaning and disinfection.		4/23
7E	Cold water in rear restroom hand sink was not provided under pressure during inspection. All hand sinks shall provide cold and hot water under pressure at all times.		4/23
11C	Several expired instruments (disposable tubes, needles, cartridges and site sterilized tubes) were present in several workstations. Expired instruments shall not be present in workstations. Site sterilized instruments expire 6 months after sterilization.		4/17
12B	Prospray (non EPA approved disinfectant for HBV and HCV) was being used in procedure areas such as on chairs, workstations, etc. Only EPA approved disinfectants proven to be effective against HBV and HCV shall be used on surfaces considered to be contaminated with blood borne pathogens. An approved disinfectant was present and used after discussion. Violation corrected on site. Two artists were not wearing drapes, lap cloths or aprons during body art procedures. Drapes, lap cloths or aprons shall be used and changed in between each client.		4/16
Comments:	Label all chemicals		
		Received by: <i>(Print Name)</i> Andrea Liggett	Title
Inspected by: Katie Paulson 720-865-5397 Katie.paulson@denvergov.org		Received by: <i>(Signature)</i> Via email 4/17/15	