

 Denver Environmental Health Body Art Facility Inspection Report		Type of Inspection 1. Regular X 2. Follow-up 3. Complaint 4. Temp Event	Date 1/14/2015																																																																																																																																																																													
			Est. # 1068837																																																																																																																																																																													
			Exp 2/13/15																																																																																																																																																																													
Facility Name La Perla Duranguense		Phone #7206901391	Legend: C = Compliance NC = Non-Compliance NA = Not applicable																																																																																																																																																																													
Address 1340 S Federal City Denver Zip																																																																																																																																																																																
Manager Luz Rocha																																																																																																																																																																																
<table border="1"> <thead> <tr> <th>C</th> <th>NC</th> <th>NA</th> <th>Sect.</th> <th></th> </tr> </thead> <tbody> <tr> <td><input type="checkbox"/></td> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/></td> <td>A1-2</td> <td>BODY ARTIST UP knowledge & renewal (3 years), HBV</td> </tr> <tr> <td><input type="checkbox"/></td> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/></td> <td>2A4</td> <td>BUSINESS LICENSE Knowledge, paperwork, license</td> </tr> <tr> <td><input type="checkbox"/></td> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/></td> <td>3A</td> <td>EMPLOYEE INFORMATION Legal name, home address, phone number, HBV proof</td> </tr> <tr> <td><input type="checkbox"/></td> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/></td> <td>3B1-6</td> <td>FACILITY RECORDS Sharps disposal, spore test log, client records, manufacturer's info on sterilization equip, written infection control procedures</td> </tr> <tr> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td>5A</td> <td>CUSTOMER RECORDS For minimum of 2 years</td> </tr> <tr> <td><input type="checkbox"/></td> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/></td> <td>5B1-8</td> <td>CLIENT MEDICAL HISTORY Proper documented risk factors</td> </tr> <tr> <td><input type="checkbox"/></td> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/></td> <td>5C1-6</td> <td>CLIENT CONSENT FORMS Client info, procedure date, type and location of body art, aftercare, side effects</td> </tr> <tr> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td>6</td> <td>FLOORS, WALLS AND CEILINGS Construction, outer openings protected, compliance</td> </tr> <tr> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td>7A-B</td> <td>PREMISES Clean, good repair</td> </tr> <tr> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td>7C</td> <td>LIGHTING 50 ft candles</td> </tr> <tr> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td>7D</td> <td>SURFACES Construction in critical areas</td> </tr> <tr> <td><input type="checkbox"/></td> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/></td> <td>7E</td> <td>HANDSINKS Hot & cold, accessible to procedure areas, toilet areas, soap and drying devices</td> </tr> <tr> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td>7F</td> <td>SEPARATION OF EQUIPMENT Cleaning, packaging, handling, storage</td> </tr> <tr> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td>7G</td> <td>SEPARATION OF SINKS Handwashing, instrument cleaning, utility</td> </tr> <tr> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td>7J</td> <td>WAITING AREA; TOILET FACILITIES Separated, construction, availability</td> </tr> <tr> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input checked="" type="checkbox"/></td> <td>7K</td> <td>REUSABLE CLOTH ITEMS Mechanically washed 140 degrees + or disinfectant or heat dryer</td> </tr> <tr> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td>7L</td> <td>ANIMALS Prohibited in critical areas</td> </tr> <tr> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td>7M</td> <td>REFUSE Lined receptacles, frequency of disposal</td> </tr> <tr> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td>7N</td> <td>HANDLING SHARPS / INFECTIOUS WASTE Sharps containers, bio-hazard bags, contracted treatment facility, on site disposal, labeling, storage, use of chemicals</td> </tr> <tr> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input checked="" type="checkbox"/></td> <td>8-9</td> <td>TEMPORARY EVENT Waste water collected, handwashing facilities, on site sterilization or negative spore test (30 days)</td> </tr> </tbody> </table>	C	NC	NA	Sect.		<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	A1-2	BODY ARTIST UP knowledge & renewal (3 years), HBV	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	2A4	BUSINESS LICENSE Knowledge, paperwork, license	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	3A	EMPLOYEE INFORMATION Legal name, home address, phone number, HBV proof	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	3B1-6	FACILITY RECORDS Sharps disposal, spore test log, client records, manufacturer's info on sterilization equip, written infection control procedures	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	5A	CUSTOMER RECORDS For minimum of 2 years	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	5B1-8	CLIENT MEDICAL HISTORY Proper documented risk factors	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	5C1-6	CLIENT CONSENT FORMS Client info, procedure date, type and location of body art, aftercare, side effects	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	6	FLOORS, WALLS AND CEILINGS Construction, outer openings protected, compliance	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	7A-B	PREMISES Clean, good repair	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	7C	LIGHTING 50 ft candles	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	7D	SURFACES Construction in critical areas	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	7E	HANDSINKS Hot & cold, accessible to procedure areas, toilet areas, soap and drying devices	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	7F	SEPARATION OF EQUIPMENT Cleaning, packaging, handling, storage	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	7G	SEPARATION OF SINKS Handwashing, instrument cleaning, utility	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	7J	WAITING AREA; TOILET FACILITIES Separated, construction, availability	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	7K	REUSABLE CLOTH ITEMS Mechanically washed 140 degrees + or disinfectant or heat dryer	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	7L	ANIMALS Prohibited in critical areas	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	7M	REFUSE Lined receptacles, frequency of disposal	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	7N	HANDLING SHARPS / INFECTIOUS WASTE Sharps containers, bio-hazard bags, contracted treatment facility, on site disposal, labeling, storage, use of chemicals	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	8-9	TEMPORARY EVENT Waste water collected, handwashing facilities, on site sterilization or negative spore test (30 days)	<table border="1"> <thead> <tr> <th>C</th> <th>NC</th> <th>NA</th> <th>Sect.</th> <th></th> </tr> </thead> <tbody> <tr> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input checked="" type="checkbox"/></td> <td>8-9</td> <td>TEMPORARY EVENT Clean up</td> </tr> <tr> <td><input type="checkbox"/></td> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/></td> <td>10</td> <td>INFECTION / EXPOSURE CONTROL WRITTEN PROCEDURES Compliance, instrument and procedure area cleaning and sterilization, UP procedures, infectious waste management</td> </tr> <tr> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input checked="" type="checkbox"/></td> <td>11A</td> <td>STERILIZER REQUIREMENTS Sterilizer must be steam autoclave, clean and maintained</td> </tr> <tr> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td>11A5</td> <td>SINGLE USE ITEMS Proper disposal, no re-use</td> </tr> <tr> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td>11B</td> <td>INSTRUMENT CLEANING Packaging & sterilization, glove use – multi use, soaked, disassembled</td> </tr> <tr> <td><input type="checkbox"/></td> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/></td> <td>11C</td> <td>INSTRUMENT PACKAGING / WRAPPING Clean gloves, sterilizer indicator, labeled with sterilization time & date</td> </tr> <tr> <td><input type="checkbox"/></td> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/></td> <td>11D</td> <td>INSTRUMENT STERILIZATION Labeled medical instrument, operators manual, cleaned & maintained, load log available w/instrument description, date & time cycle time & temperature (2 years)</td> </tr> <tr> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td>11E</td> <td>STERILIZED INSTRUMENTS Hands washed prior to handling, store in dry & clean area</td> </tr> <tr> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input checked="" type="checkbox"/></td> <td>11F</td> <td>SPORE TESTING Monthly, maintain records (2 years), use of lab</td> </tr> <tr> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td>12A</td> <td>PROHIBITIONS Persons under influence, smoking, eating, drinking in procedure/instrument cleaning areas, procedures on unhealthy conditions</td> </tr> <tr> <td><input type="checkbox"/></td> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/></td> <td>12B</td> <td>BODY ARTIST'S PRACTICES Handwashing between clients, new clean groves, fresh linens, instruments remaining packaged prior to use, cross-contamination prevention, supplies properly disposed, disinfection of procedure area</td> </tr> <tr> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input checked="" type="checkbox"/></td> <td>12C</td> <td>TATTOOING PROCEDURES Hectographic or single-use stencils for outlines, non-toxic single use markers for free hand, multi-use stencils only if disinfected prior to use, area cleaned and treated, unused ink properly disposed, excess ink properly removed after body area covered.</td> </tr> <tr> <td><input type="checkbox"/></td> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/></td> <td>12D</td> <td>BODY PIERCING PROCEDURES Needles are sterile, single use, manufactured for use, disposed properly, jewelry is new or disinfected, clean and good repair, studs-and-clasp used according to manufacturer</td> </tr> </tbody> </table>	C	NC	NA	Sect.		<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	8-9	TEMPORARY EVENT Clean up	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	10	INFECTION / EXPOSURE CONTROL WRITTEN PROCEDURES Compliance, instrument and procedure area cleaning and sterilization, UP procedures, infectious waste management	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	11A	STERILIZER REQUIREMENTS Sterilizer must be steam autoclave, clean and maintained	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	11A5	SINGLE USE ITEMS Proper disposal, no re-use	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	11B	INSTRUMENT CLEANING Packaging & sterilization, glove use – multi use, soaked, disassembled	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	11C	INSTRUMENT PACKAGING / WRAPPING Clean gloves, sterilizer indicator, labeled with sterilization time & date	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	11D	INSTRUMENT STERILIZATION Labeled medical instrument, operators manual, cleaned & maintained, load log available w/instrument description, date & time cycle time & temperature (2 years)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	11E	STERILIZED INSTRUMENTS Hands washed prior to handling, store in dry & clean area	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	11F	SPORE TESTING Monthly, maintain records (2 years), use of lab	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	12A	PROHIBITIONS Persons under influence, smoking, eating, drinking in procedure/instrument cleaning areas, procedures on unhealthy conditions	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	12B	BODY ARTIST'S PRACTICES Handwashing between clients, new clean groves, fresh linens, instruments remaining packaged prior to use, cross-contamination prevention, supplies properly disposed, disinfection of procedure area	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	12C	TATTOOING PROCEDURES Hectographic or single-use stencils for outlines, non-toxic single use markers for free hand, multi-use stencils only if disinfected prior to use, area cleaned and treated, unused ink properly disposed, excess ink properly removed after body area covered.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	12D	BODY PIERCING PROCEDURES Needles are sterile, single use, manufactured for use, disposed properly, jewelry is new or disinfected, clean and good repair, studs-and-clasp used according to manufacturer
C	NC	NA	Sect.																																																																																																																																																																													
<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	A1-2	BODY ARTIST UP knowledge & renewal (3 years), HBV																																																																																																																																																																												
<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	2A4	BUSINESS LICENSE Knowledge, paperwork, license																																																																																																																																																																												
<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	3A	EMPLOYEE INFORMATION Legal name, home address, phone number, HBV proof																																																																																																																																																																												
<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	3B1-6	FACILITY RECORDS Sharps disposal, spore test log, client records, manufacturer's info on sterilization equip, written infection control procedures																																																																																																																																																																												
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	5A	CUSTOMER RECORDS For minimum of 2 years																																																																																																																																																																												
<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	5B1-8	CLIENT MEDICAL HISTORY Proper documented risk factors																																																																																																																																																																												
<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	5C1-6	CLIENT CONSENT FORMS Client info, procedure date, type and location of body art, aftercare, side effects																																																																																																																																																																												
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	6	FLOORS, WALLS AND CEILINGS Construction, outer openings protected, compliance																																																																																																																																																																												
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	7A-B	PREMISES Clean, good repair																																																																																																																																																																												
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	7C	LIGHTING 50 ft candles																																																																																																																																																																												
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	7D	SURFACES Construction in critical areas																																																																																																																																																																												
<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	7E	HANDSINKS Hot & cold, accessible to procedure areas, toilet areas, soap and drying devices																																																																																																																																																																												
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	7F	SEPARATION OF EQUIPMENT Cleaning, packaging, handling, storage																																																																																																																																																																												
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	7G	SEPARATION OF SINKS Handwashing, instrument cleaning, utility																																																																																																																																																																												
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	7J	WAITING AREA; TOILET FACILITIES Separated, construction, availability																																																																																																																																																																												
<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	7K	REUSABLE CLOTH ITEMS Mechanically washed 140 degrees + or disinfectant or heat dryer																																																																																																																																																																												
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	7L	ANIMALS Prohibited in critical areas																																																																																																																																																																												
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	7M	REFUSE Lined receptacles, frequency of disposal																																																																																																																																																																												
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	7N	HANDLING SHARPS / INFECTIOUS WASTE Sharps containers, bio-hazard bags, contracted treatment facility, on site disposal, labeling, storage, use of chemicals																																																																																																																																																																												
<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	8-9	TEMPORARY EVENT Waste water collected, handwashing facilities, on site sterilization or negative spore test (30 days)																																																																																																																																																																												
C	NC	NA	Sect.																																																																																																																																																																													
<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	8-9	TEMPORARY EVENT Clean up																																																																																																																																																																												
<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	10	INFECTION / EXPOSURE CONTROL WRITTEN PROCEDURES Compliance, instrument and procedure area cleaning and sterilization, UP procedures, infectious waste management																																																																																																																																																																												
<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	11A	STERILIZER REQUIREMENTS Sterilizer must be steam autoclave, clean and maintained																																																																																																																																																																												
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	11A5	SINGLE USE ITEMS Proper disposal, no re-use																																																																																																																																																																												
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	11B	INSTRUMENT CLEANING Packaging & sterilization, glove use – multi use, soaked, disassembled																																																																																																																																																																												
<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	11C	INSTRUMENT PACKAGING / WRAPPING Clean gloves, sterilizer indicator, labeled with sterilization time & date																																																																																																																																																																												
<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	11D	INSTRUMENT STERILIZATION Labeled medical instrument, operators manual, cleaned & maintained, load log available w/instrument description, date & time cycle time & temperature (2 years)																																																																																																																																																																												
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	11E	STERILIZED INSTRUMENTS Hands washed prior to handling, store in dry & clean area																																																																																																																																																																												
<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	11F	SPORE TESTING Monthly, maintain records (2 years), use of lab																																																																																																																																																																												
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	12A	PROHIBITIONS Persons under influence, smoking, eating, drinking in procedure/instrument cleaning areas, procedures on unhealthy conditions																																																																																																																																																																												
<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	12B	BODY ARTIST'S PRACTICES Handwashing between clients, new clean groves, fresh linens, instruments remaining packaged prior to use, cross-contamination prevention, supplies properly disposed, disinfection of procedure area																																																																																																																																																																												
<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	12C	TATTOOING PROCEDURES Hectographic or single-use stencils for outlines, non-toxic single use markers for free hand, multi-use stencils only if disinfected prior to use, area cleaned and treated, unused ink properly disposed, excess ink properly removed after body area covered.																																																																																																																																																																												
<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	12D	BODY PIERCING PROCEDURES Needles are sterile, single use, manufactured for use, disposed properly, jewelry is new or disinfected, clean and good repair, studs-and-clasp used according to manufacturer																																																																																																																																																																												

Facility Name: ____La Perla Duranguense____

NUMBER	VIOLATION	CORRECT BY:
A1-2	BBP/UP and proof of HBV vaccination or written declination was not provided for sole artist in studio. Provide proof of bloodborne pathogens and HBV or written declination.	1/15
2A4	Gerardo Ayala's license expired 7/19/14. Artist is ORDERED to cease and desist performing body art procedures until license has been obtained. Summons issued for performing body art without a license. Email inspector a copy of license when it has been obtained.	1/15
3A	Employee files were not provided. Employee files shall be provided and include the following information: legal name, home address, phone number and proof of HBV or written declination.	1/22
3B1-6	Facility records were incomplete. Facility records shall include the missing information: sharps & biohazard contract or agreement and written infection exposure control plan.	1/22
5B1-8	Client consent form does not include risk factors such as diabetes, communicable disease, hemophilia, skin diseases/lesions, allergies or adverse reactions to pigments, dyes, disinfectants or soaps, history of epilepsy, seizures, fainting or narcolepsy, taking anticoagulants or other medications that thin the blood/interferes with blood clotting and any other information that would aid the body artist in the client's body art healing process evaluation. See handout provided "Customer Records Guidelines."	1/22
5C1-6	Client consent forms are missing the following information: package/lot number used during procedure and artist name. Aftercare information is not provided. Provide aftercare information and ensure information is complete. See handout provided "Guidelines for Body Art Aftercare Instructions."	1/22
7E	Sole hand sink in procedure area/studio did not provide hot water after 4 minutes of continually running the water. Employee states hot water has been an issue for at least a few days. Operator is ORDERED to cease and desist all body art procedures until hand sink provides hot water (above 90F) and inspector has granted approval. This hand sink was not equipped with paper towels. Hand sinks shall be equipped with paper towels. Summons will be issued for lack of hot water.	1/15
10	Exposure control plan was not provided. Provide completed plan and update annually or as needed.	1/22
11C	Several expired needles were present in the facility. Some needles did not include expiration dates. Also clean packages of needles were being stored with personal items such as food and jewelry. Expired needles shall be properly removed from facility. Determine expiration dates and/or purchase needles marked with expiration dates. Store clean needles in an area that will prevent contamination. Suggested complete separation of jewelry cleaning/personal area and piercing equipment/studio.	1/15
11D	Logs are not being maintained for chemical disinfection of jewelry used for piercings. Also approved disinfectant was not provided in studio during inspection. Load logs shall be maintained for 2 years and operator shall only use approved disinfectants in facility. Example load log provided during inspection.	1/15
12B	An approved disinfectant was not provided in facility during inspection and therefore, areas and jewelry could not be disinfected as required. An approved disinfectant shall always be available in facility.	1/15
12D	Logs were not being maintained for chemical disinfection of jewelry used for piercings and therefore, it is not known if jewelry had been properly disinfected prior to use in clients. Jewelry shall be disinfected prior to use in clients; logs shall be maintained at the facility for 2 years.	1/15

[illegible]