

 Denver Environmental Health Body Art Facility Inspection Report		Type of Inspection 1. Regular 2. Follow-upX 3. Complaint 4. Temp Event	Date 6/19/15																																																																																																																																																																													
			Est. # 1033753																																																																																																																																																																													
			Exp 6/27/15																																																																																																																																																																													
Facility Name Mr Tanks		Phone #	Legend: C = Compliance NC = Non-Compliance NA = Not applicable																																																																																																																																																																													
Address 6640 E Colfax City Zip																																																																																																																																																																																
Manager Josh Johnson																																																																																																																																																																																
<table border="1"> <thead> <tr> <th>C</th> <th>NC</th> <th>NA</th> <th>Sect.</th> <th></th> </tr> </thead> <tbody> <tr> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td>A1-2</td> <td> BODY ARTIST UP knowledge & renewal (3 years), HBV </td> </tr> <tr> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td>2A4</td> <td> BUSINESS LICENSE Knowledge, paperwork, license </td> </tr> <tr> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td>3A</td> <td> EMPLOYEE INFORMATION Legal name, home address, phone number, HBV proof </td> </tr> <tr> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td>3B1-6</td> <td> FACILITY RECORDS Sharps disposal, spore test log, client records, manufacturer's info on sterilization equip, written infection control procedures </td> </tr> <tr> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td>5A</td> <td> CUSTOMER RECORDS For minimum of 2 years </td> </tr> <tr> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td>5B1-8</td> <td> CLIENT MEDICAL HISTORY Proper documented risk factors </td> </tr> <tr> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td>5C1-6</td> <td> CLIENT CONSENT FORMS Client info, procedure date, type and location of body art, aftercare, side effects </td> </tr> <tr> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td>6</td> <td> FLOORS, WALLS AND CEILINGS Construction, outer openings protected, compliance </td> </tr> <tr> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td>7A-B</td> <td> PREMISES Clean, good repair </td> </tr> <tr> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td>7C</td> <td> LIGHTING 50 ft candles </td> </tr> <tr> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td>7D</td> <td> SURFACES Construction in critical areas </td> </tr> <tr> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td>7E</td> <td> HANDSINKS Hot & cold, accessible to procedure areas, toilet areas, soap and drying devices </td> </tr> <tr> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td>7F</td> <td> SEPARATION OF EQUIPMENT Cleaning, packaging, handling, storage </td> </tr> <tr> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td>7G</td> <td> SEPARATION OF SINKS Handwashing, instrument cleaning, utility </td> </tr> <tr> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td>7J</td> <td> WAITING AREA; TOILET FACILITIES Separated, construction, availability </td> </tr> <tr> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td>7K</td> <td> REUSABLE CLOTH ITEMS Mechanically washed 140 degrees + or disinfectant or heat dryer </td> </tr> <tr> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td>7L</td> <td> ANIMALS Prohibited in critical areas </td> </tr> <tr> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td>7M</td> <td> REFUSE Lined receptacles, frequency of disposal </td> </tr> <tr> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td>7N</td> <td> HANDLING SHARPS / INFECTIOUS WASTE Sharps containers, bio-hazard bags, contracted treatment facility, on site disposal, labeling, storage, use of chemicals </td> </tr> <tr> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td>8-9</td> <td> TEMPORARY EVENT Waste water collected, handwashing facilities, on site sterilization or negative spore test (30 days) </td> </tr> </tbody> </table>	C	NC	NA	Sect.		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	A1-2	BODY ARTIST UP knowledge & renewal (3 years), HBV	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	2A4	BUSINESS LICENSE Knowledge, paperwork, license	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	3A	EMPLOYEE INFORMATION Legal name, home address, phone number, HBV proof	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	3B1-6	FACILITY RECORDS Sharps disposal, spore test log, client records, manufacturer's info on sterilization equip, written infection control procedures	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	5A	CUSTOMER RECORDS For minimum of 2 years	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	5B1-8	CLIENT MEDICAL HISTORY Proper documented risk factors	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	5C1-6	CLIENT CONSENT FORMS Client info, procedure date, type and location of body art, aftercare, side effects	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	6	FLOORS, WALLS AND CEILINGS Construction, outer openings protected, compliance	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	7A-B	PREMISES Clean, good repair	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	7C	LIGHTING 50 ft candles	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	7D	SURFACES Construction in critical areas	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	7E	HANDSINKS Hot & cold, accessible to procedure areas, toilet areas, soap and drying devices	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	7F	SEPARATION OF EQUIPMENT Cleaning, packaging, handling, storage	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	7G	SEPARATION OF SINKS Handwashing, instrument cleaning, utility	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	7J	WAITING AREA; TOILET FACILITIES Separated, construction, availability	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	7K	REUSABLE CLOTH ITEMS Mechanically washed 140 degrees + or disinfectant or heat dryer	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	7L	ANIMALS Prohibited in critical areas	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	7M	REFUSE Lined receptacles, frequency of disposal	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	7N	HANDLING SHARPS / INFECTIOUS WASTE Sharps containers, bio-hazard bags, contracted treatment facility, on site disposal, labeling, storage, use of chemicals	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	8-9	TEMPORARY EVENT Waste water collected, handwashing facilities, on site sterilization or negative spore test (30 days)	<table border="1"> <thead> <tr> <th>C</th> <th>NC</th> <th>NA</th> <th>Sect.</th> <th></th> </tr> </thead> <tbody> <tr> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td>8-9</td> <td> TEMPORARY EVENT Clean up </td> </tr> <tr> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td>10</td> <td> INFECTION / EXPOSURE CONTROL WRITTEN PROCEDURES Compliance, instrument and procedure area cleaning and sterilization, UP procedures, infectious waste management </td> </tr> <tr> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td>11A</td> <td> STERILIZER REQUIREMENTS Sterilizer must be steam autoclave, clean and maintained </td> </tr> <tr> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td>11A5</td> <td> SINGLE USE ITEMS Proper disposal, no re-use </td> </tr> <tr> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td>11B</td> <td> INSTRUMENT CLEANING Packaging & sterilization, glove use – multi use, soaked, disassembled </td> </tr> <tr> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td>11C</td> <td> INSTRUMENT PACKAGING / WRAPPING Clean gloves, sterilizer indicator, labeled with sterilization time & date </td> </tr> <tr> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td>11D</td> <td> INSTRUMENT STERILIZATION Labeled medical instrument, operators manual, cleaned & maintained, load log available w/instrument description, date & time cycle time & temperature (2 years) </td> </tr> <tr> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td>11E</td> <td> STERILIZED INSTRUMENTS Hands washed prior to handling, store in dry & clean area </td> </tr> <tr> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td>11F</td> <td> SPORE TESTING Monthly, maintain records (2 years), use of lab </td> </tr> <tr> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td>12A</td> <td> PROHIBITIONS Persons under influence, smoking, eating, drinking in procedure/instrument cleaning areas, procedures on unhealthy conditions </td> </tr> <tr> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td>12B</td> <td> BODY ARTIST'S PRACTICES Handwashing between clients, new clean groves, fresh linens, instruments remaining packaged prior to use, cross-contamination prevention, supplies properly disposed, disinfection of procedure area </td> </tr> <tr> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td>12C</td> <td> TATTOOING PROCEDURES Hectographic or single-use stencils for outlines, non-toxic single use markers for free hand, multi-use stencils only if disinfected prior to use, area cleaned and treated, unused ink properly disposed, excess ink properly removed after body area covered. </td> </tr> <tr> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td>12D</td> <td> BODY PIERCING PROCEDURES Needles are sterile, single use, manufactured for use, disposed properly, jewelry is new or disinfected, clean and good repair, studs-and-clasp used according to manufacturer </td> </tr> </tbody> </table>	C	NC	NA	Sect.		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	8-9	TEMPORARY EVENT Clean up	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	10	INFECTION / EXPOSURE CONTROL WRITTEN PROCEDURES Compliance, instrument and procedure area cleaning and sterilization, UP procedures, infectious waste management	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	11A	STERILIZER REQUIREMENTS Sterilizer must be steam autoclave, clean and maintained	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	11A5	SINGLE USE ITEMS Proper disposal, no re-use	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	11B	INSTRUMENT CLEANING Packaging & sterilization, glove use – multi use, soaked, disassembled	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	11C	INSTRUMENT PACKAGING / WRAPPING Clean gloves, sterilizer indicator, labeled with sterilization time & date	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	11D	INSTRUMENT STERILIZATION Labeled medical instrument, operators manual, cleaned & maintained, load log available w/instrument description, date & time cycle time & temperature (2 years)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	11E	STERILIZED INSTRUMENTS Hands washed prior to handling, store in dry & clean area	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	11F	SPORE TESTING Monthly, maintain records (2 years), use of lab	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	12A	PROHIBITIONS Persons under influence, smoking, eating, drinking in procedure/instrument cleaning areas, procedures on unhealthy conditions	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	12B	BODY ARTIST'S PRACTICES Handwashing between clients, new clean groves, fresh linens, instruments remaining packaged prior to use, cross-contamination prevention, supplies properly disposed, disinfection of procedure area	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	12C	TATTOOING PROCEDURES Hectographic or single-use stencils for outlines, non-toxic single use markers for free hand, multi-use stencils only if disinfected prior to use, area cleaned and treated, unused ink properly disposed, excess ink properly removed after body area covered.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	12D	BODY PIERCING PROCEDURES Needles are sterile, single use, manufactured for use, disposed properly, jewelry is new or disinfected, clean and good repair, studs-and-clasp used according to manufacturer
C	NC	NA	Sect.																																																																																																																																																																													
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	A1-2	BODY ARTIST UP knowledge & renewal (3 years), HBV																																																																																																																																																																												
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	2A4	BUSINESS LICENSE Knowledge, paperwork, license																																																																																																																																																																												
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	3A	EMPLOYEE INFORMATION Legal name, home address, phone number, HBV proof																																																																																																																																																																												
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	3B1-6	FACILITY RECORDS Sharps disposal, spore test log, client records, manufacturer's info on sterilization equip, written infection control procedures																																																																																																																																																																												
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	5A	CUSTOMER RECORDS For minimum of 2 years																																																																																																																																																																												
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	5B1-8	CLIENT MEDICAL HISTORY Proper documented risk factors																																																																																																																																																																												
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	5C1-6	CLIENT CONSENT FORMS Client info, procedure date, type and location of body art, aftercare, side effects																																																																																																																																																																												
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	6	FLOORS, WALLS AND CEILINGS Construction, outer openings protected, compliance																																																																																																																																																																												
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	7A-B	PREMISES Clean, good repair																																																																																																																																																																												
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	7C	LIGHTING 50 ft candles																																																																																																																																																																												
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	7D	SURFACES Construction in critical areas																																																																																																																																																																												
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	7E	HANDSINKS Hot & cold, accessible to procedure areas, toilet areas, soap and drying devices																																																																																																																																																																												
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	7F	SEPARATION OF EQUIPMENT Cleaning, packaging, handling, storage																																																																																																																																																																												
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	7G	SEPARATION OF SINKS Handwashing, instrument cleaning, utility																																																																																																																																																																												
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	7J	WAITING AREA; TOILET FACILITIES Separated, construction, availability																																																																																																																																																																												
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	7K	REUSABLE CLOTH ITEMS Mechanically washed 140 degrees + or disinfectant or heat dryer																																																																																																																																																																												
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	7L	ANIMALS Prohibited in critical areas																																																																																																																																																																												
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	7M	REFUSE Lined receptacles, frequency of disposal																																																																																																																																																																												
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	7N	HANDLING SHARPS / INFECTIOUS WASTE Sharps containers, bio-hazard bags, contracted treatment facility, on site disposal, labeling, storage, use of chemicals																																																																																																																																																																												
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	8-9	TEMPORARY EVENT Waste water collected, handwashing facilities, on site sterilization or negative spore test (30 days)																																																																																																																																																																												
C	NC	NA	Sect.																																																																																																																																																																													
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	8-9	TEMPORARY EVENT Clean up																																																																																																																																																																												
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	10	INFECTION / EXPOSURE CONTROL WRITTEN PROCEDURES Compliance, instrument and procedure area cleaning and sterilization, UP procedures, infectious waste management																																																																																																																																																																												
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	11A	STERILIZER REQUIREMENTS Sterilizer must be steam autoclave, clean and maintained																																																																																																																																																																												
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	11A5	SINGLE USE ITEMS Proper disposal, no re-use																																																																																																																																																																												
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	11B	INSTRUMENT CLEANING Packaging & sterilization, glove use – multi use, soaked, disassembled																																																																																																																																																																												
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	11C	INSTRUMENT PACKAGING / WRAPPING Clean gloves, sterilizer indicator, labeled with sterilization time & date																																																																																																																																																																												
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	11D	INSTRUMENT STERILIZATION Labeled medical instrument, operators manual, cleaned & maintained, load log available w/instrument description, date & time cycle time & temperature (2 years)																																																																																																																																																																												
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	11E	STERILIZED INSTRUMENTS Hands washed prior to handling, store in dry & clean area																																																																																																																																																																												
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	11F	SPORE TESTING Monthly, maintain records (2 years), use of lab																																																																																																																																																																												
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	12A	PROHIBITIONS Persons under influence, smoking, eating, drinking in procedure/instrument cleaning areas, procedures on unhealthy conditions																																																																																																																																																																												
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	12B	BODY ARTIST'S PRACTICES Handwashing between clients, new clean groves, fresh linens, instruments remaining packaged prior to use, cross-contamination prevention, supplies properly disposed, disinfection of procedure area																																																																																																																																																																												
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	12C	TATTOOING PROCEDURES Hectographic or single-use stencils for outlines, non-toxic single use markers for free hand, multi-use stencils only if disinfected prior to use, area cleaned and treated, unused ink properly disposed, excess ink properly removed after body area covered.																																																																																																																																																																												
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	12D	BODY PIERCING PROCEDURES Needles are sterile, single use, manufactured for use, disposed properly, jewelry is new or disinfected, clean and good repair, studs-and-clasp used according to manufacturer																																																																																																																																																																												

Body Art Inspection Report

Page __2 of 2__

Facility Name: __Mr. Tanks__

NUMBER	VIOLATION		CORRECT BY:
	Corrections were emailed to inspector on 6/8. Operator shall ensure that disinfectant load log is completely filled out (ie. include start and stop times for soaking of jewelry in the disinfectant, who did the work, etc.) Use the example log provided by inspector.		
Comments:	Re-inspection conducted through email communication.		
		Received by: <i>(Print Name)</i> Josh Johnson, Owner	Title
Inspected by: Katie Paulson 720-865-5397 Katie.paulson@denvergov.org	Received by: <i>(Signature)</i> Via email 6/19/15		