

 Denver Environmental Health Body Art Facility Inspection Report		Type of Inspection 1. RegularX 2. Follow-up 3. Complaint 4. Temp Event	Date 1/13/15																																																																																																																																																																													
			Est. # 2665																																																																																																																																																																													
			Exp10/10/2015																																																																																																																																																																													
Facility Name Harbour Lights Social Club		Phone #	Legend: C = Compliance NC = Non-Compliance NA = Not applicable																																																																																																																																																																													
Address2422 Federal Blvd	City	Zip																																																																																																																																																																														
Manager Khang Tran																																																																																																																																																																																
<table border="1"> <thead> <tr> <th>C</th> <th>NC</th> <th>NA</th> <th>Sect.</th> <th></th> </tr> </thead> <tbody> <tr> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td>A1-2</td> <td>BODY ARTIST UP knowledge & renewal (3 years), HBV</td> </tr> <tr> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td>2A4</td> <td>BUSINESS LICENSE Knowledge, paperwork, license</td> </tr> <tr> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td>3A</td> <td>EMPLOYEE INFORMATION Legal name, home address, phone number, HBV proof</td> </tr> <tr> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td>3B1-6</td> <td>FACILITY RECORDS Sharps disposal, spore test log, client records, manufacturer's info on sterilization equip, written infection control procedures</td> </tr> <tr> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td>5A</td> <td>CUSTOMER RECORDS For minimum of 2 years</td> </tr> <tr> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td>5B1-8</td> <td>CLIENT MEDICAL HISTORY Proper documented risk factors</td> </tr> <tr> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td>5C1-6</td> <td>CLIENT CONSENT FORMS Client info, procedure date, type and location of body art, aftercare, side effects</td> </tr> <tr> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td>6</td> <td>FLOORS, WALLS AND CEILINGS Construction, outer openings protected, compliance</td> </tr> <tr> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td>7A-B</td> <td>PREMISES Clean, good repair</td> </tr> <tr> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td>7C</td> <td>LIGHTING 50 ft candles</td> </tr> <tr> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td>7D</td> <td>SURFACES Construction in critical areas</td> </tr> <tr> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td>7E</td> <td>HANDSINKS Hot & cold, accessible to procedure areas, toilet areas, soap and drying devices</td> </tr> <tr> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input checked="" type="checkbox"/></td> <td>7F</td> <td>SEPARATION OF EQUIPMENT Cleaning, packaging, handling, storage</td> </tr> <tr> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td>7G</td> <td>SEPARATION OF SINKS Handwashing, instrument cleaning, utility</td> </tr> <tr> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td>7J</td> <td>WAITING AREA; TOILET FACILITIES Separated, construction, availability</td> </tr> <tr> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td>7K</td> <td>REUSABLE CLOTH ITEMS Mechanically washed 140 degrees + or disinfectant or heat dryer</td> </tr> <tr> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td>7L</td> <td>ANIMALS Prohibited in critical areas</td> </tr> <tr> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td>7M</td> <td>REFUSE Lined receptacles, frequency of disposal</td> </tr> <tr> <td><input checked="" type="checkbox"/></td> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/></td> <td>7N</td> <td>HANDLING SHARPS / INFECTIOUS WASTE Sharps containers, bio-hazard bags, contracted treatment facility, on site disposal, labeling, storage, use of chemicals</td> </tr> <tr> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input checked="" type="checkbox"/></td> <td>8-9</td> <td>TEMPORARY EVENT Waste water collected, handwashing facilities, on site sterilization or negative spore test (30 days)</td> </tr> </tbody> </table>	C	NC	NA	Sect.		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	A1-2	BODY ARTIST UP knowledge & renewal (3 years), HBV	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	2A4	BUSINESS LICENSE Knowledge, paperwork, license	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	3A	EMPLOYEE INFORMATION Legal name, home address, phone number, HBV proof	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	3B1-6	FACILITY RECORDS Sharps disposal, spore test log, client records, manufacturer's info on sterilization equip, written infection control procedures	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	5A	CUSTOMER RECORDS For minimum of 2 years	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	5B1-8	CLIENT MEDICAL HISTORY Proper documented risk factors	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	5C1-6	CLIENT CONSENT FORMS Client info, procedure date, type and location of body art, aftercare, side effects	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	6	FLOORS, WALLS AND CEILINGS Construction, outer openings protected, compliance	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	7A-B	PREMISES Clean, good repair	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	7C	LIGHTING 50 ft candles	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	7D	SURFACES Construction in critical areas	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	7E	HANDSINKS Hot & cold, accessible to procedure areas, toilet areas, soap and drying devices	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	7F	SEPARATION OF EQUIPMENT Cleaning, packaging, handling, storage	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	7G	SEPARATION OF SINKS Handwashing, instrument cleaning, utility	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	7J	WAITING AREA; TOILET FACILITIES Separated, construction, availability	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	7K	REUSABLE CLOTH ITEMS Mechanically washed 140 degrees + or disinfectant or heat dryer	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	7L	ANIMALS Prohibited in critical areas	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	7M	REFUSE Lined receptacles, frequency of disposal	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	7N	HANDLING SHARPS / INFECTIOUS WASTE Sharps containers, bio-hazard bags, contracted treatment facility, on site disposal, labeling, storage, use of chemicals	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	8-9	TEMPORARY EVENT Waste water collected, handwashing facilities, on site sterilization or negative spore test (30 days)	<table border="1"> <thead> <tr> <th>C</th> <th>NC</th> <th>NA</th> <th>Sect.</th> <th></th> </tr> </thead> <tbody> <tr> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input checked="" type="checkbox"/></td> <td>8-9</td> <td>TEMPORARY EVENT Clean up</td> </tr> <tr> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td>10</td> <td>INFECTION / EXPOSURE CONTROL WRITTEN PROCEDURES Compliance, instrument and procedure area cleaning and sterilization, UP procedures, infectious waste management</td> </tr> <tr> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input checked="" type="checkbox"/></td> <td>11A</td> <td>STERILIZER REQUIREMENTS Sterilizer must be steam autoclave, clean and maintained</td> </tr> <tr> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td>11A5</td> <td>SINGLE USE ITEMS Proper disposal, no re-use</td> </tr> <tr> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input checked="" type="checkbox"/></td> <td>11B</td> <td>INSTRUMENT CLEANING Packaging & sterilization, glove use – multi use, soaked, disassembled</td> </tr> <tr> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td>11C</td> <td>INSTRUMENT PACKAGING / WRAPPING Clean gloves, sterilizer indicator, labeled with sterilization time & date</td> </tr> <tr> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input checked="" type="checkbox"/></td> <td>11D</td> <td>INSTRUMENT STERILIZATION Labeled medical instrument, operators manual, cleaned & maintained, load log available w/instrument description, date & time cycle time & temperature (2 years)</td> </tr> <tr> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td>11E</td> <td>STERILIZED INSTRUMENTS Hands washed prior to handling, store in dry & clean area</td> </tr> <tr> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input checked="" type="checkbox"/></td> <td>11F</td> <td>SPORE TESTING Monthly, maintain records (2 years), use of lab</td> </tr> <tr> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td>12A</td> <td>PROHIBITIONS Persons under influence, smoking, eating, drinking in procedure/instrument cleaning areas, procedures on unhealthy conditions</td> </tr> <tr> <td><input checked="" type="checkbox"/></td> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/></td> <td>12B</td> <td>BODY ARTIST'S PRACTICES Handwashing between clients, new clean groves, fresh linens, instruments remaining packaged prior to use, cross-contamination prevention, supplies properly disposed, disinfection of procedure area</td> </tr> <tr> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td>12C</td> <td>TATTOOING PROCEDURES Hectographic or single-use stencils for outlines, non-toxic single use markers for free hand, multi-use stencils only if disinfected prior to use, area cleaned and treated, unused ink properly disposed, excess ink properly removed after body area covered.</td> </tr> <tr> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input checked="" type="checkbox"/></td> <td>12D</td> <td>BODY PIERCING PROCEDURES Needles are sterile, single use, manufactured for use, disposed properly, jewelry is new or disinfected, clean and good repair, studs-and-clasp used according to manufacturer</td> </tr> </tbody> </table>	C	NC	NA	Sect.		<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	8-9	TEMPORARY EVENT Clean up	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	10	INFECTION / EXPOSURE CONTROL WRITTEN PROCEDURES Compliance, instrument and procedure area cleaning and sterilization, UP procedures, infectious waste management	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	11A	STERILIZER REQUIREMENTS Sterilizer must be steam autoclave, clean and maintained	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	11A5	SINGLE USE ITEMS Proper disposal, no re-use	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	11B	INSTRUMENT CLEANING Packaging & sterilization, glove use – multi use, soaked, disassembled	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	11C	INSTRUMENT PACKAGING / WRAPPING Clean gloves, sterilizer indicator, labeled with sterilization time & date	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	11D	INSTRUMENT STERILIZATION Labeled medical instrument, operators manual, cleaned & maintained, load log available w/instrument description, date & time cycle time & temperature (2 years)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	11E	STERILIZED INSTRUMENTS Hands washed prior to handling, store in dry & clean area	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	11F	SPORE TESTING Monthly, maintain records (2 years), use of lab	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	12A	PROHIBITIONS Persons under influence, smoking, eating, drinking in procedure/instrument cleaning areas, procedures on unhealthy conditions	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	12B	BODY ARTIST'S PRACTICES Handwashing between clients, new clean groves, fresh linens, instruments remaining packaged prior to use, cross-contamination prevention, supplies properly disposed, disinfection of procedure area	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	12C	TATTOOING PROCEDURES Hectographic or single-use stencils for outlines, non-toxic single use markers for free hand, multi-use stencils only if disinfected prior to use, area cleaned and treated, unused ink properly disposed, excess ink properly removed after body area covered.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	12D	BODY PIERCING PROCEDURES Needles are sterile, single use, manufactured for use, disposed properly, jewelry is new or disinfected, clean and good repair, studs-and-clasp used according to manufacturer
C	NC	NA	Sect.																																																																																																																																																																													
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	A1-2	BODY ARTIST UP knowledge & renewal (3 years), HBV																																																																																																																																																																												
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	2A4	BUSINESS LICENSE Knowledge, paperwork, license																																																																																																																																																																												
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	3A	EMPLOYEE INFORMATION Legal name, home address, phone number, HBV proof																																																																																																																																																																												
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	3B1-6	FACILITY RECORDS Sharps disposal, spore test log, client records, manufacturer's info on sterilization equip, written infection control procedures																																																																																																																																																																												
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	5A	CUSTOMER RECORDS For minimum of 2 years																																																																																																																																																																												
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	5B1-8	CLIENT MEDICAL HISTORY Proper documented risk factors																																																																																																																																																																												
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	5C1-6	CLIENT CONSENT FORMS Client info, procedure date, type and location of body art, aftercare, side effects																																																																																																																																																																												
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	6	FLOORS, WALLS AND CEILINGS Construction, outer openings protected, compliance																																																																																																																																																																												
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	7A-B	PREMISES Clean, good repair																																																																																																																																																																												
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	7C	LIGHTING 50 ft candles																																																																																																																																																																												
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	7D	SURFACES Construction in critical areas																																																																																																																																																																												
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	7E	HANDSINKS Hot & cold, accessible to procedure areas, toilet areas, soap and drying devices																																																																																																																																																																												
<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	7F	SEPARATION OF EQUIPMENT Cleaning, packaging, handling, storage																																																																																																																																																																												
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	7G	SEPARATION OF SINKS Handwashing, instrument cleaning, utility																																																																																																																																																																												
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	7J	WAITING AREA; TOILET FACILITIES Separated, construction, availability																																																																																																																																																																												
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	7K	REUSABLE CLOTH ITEMS Mechanically washed 140 degrees + or disinfectant or heat dryer																																																																																																																																																																												
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	7L	ANIMALS Prohibited in critical areas																																																																																																																																																																												
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	7M	REFUSE Lined receptacles, frequency of disposal																																																																																																																																																																												
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	7N	HANDLING SHARPS / INFECTIOUS WASTE Sharps containers, bio-hazard bags, contracted treatment facility, on site disposal, labeling, storage, use of chemicals																																																																																																																																																																												
<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	8-9	TEMPORARY EVENT Waste water collected, handwashing facilities, on site sterilization or negative spore test (30 days)																																																																																																																																																																												
C	NC	NA	Sect.																																																																																																																																																																													
<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	8-9	TEMPORARY EVENT Clean up																																																																																																																																																																												
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	10	INFECTION / EXPOSURE CONTROL WRITTEN PROCEDURES Compliance, instrument and procedure area cleaning and sterilization, UP procedures, infectious waste management																																																																																																																																																																												
<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	11A	STERILIZER REQUIREMENTS Sterilizer must be steam autoclave, clean and maintained																																																																																																																																																																												
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	11A5	SINGLE USE ITEMS Proper disposal, no re-use																																																																																																																																																																												
<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	11B	INSTRUMENT CLEANING Packaging & sterilization, glove use – multi use, soaked, disassembled																																																																																																																																																																												
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	11C	INSTRUMENT PACKAGING / WRAPPING Clean gloves, sterilizer indicator, labeled with sterilization time & date																																																																																																																																																																												
<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	11D	INSTRUMENT STERILIZATION Labeled medical instrument, operators manual, cleaned & maintained, load log available w/instrument description, date & time cycle time & temperature (2 years)																																																																																																																																																																												
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	11E	STERILIZED INSTRUMENTS Hands washed prior to handling, store in dry & clean area																																																																																																																																																																												
<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	11F	SPORE TESTING Monthly, maintain records (2 years), use of lab																																																																																																																																																																												
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	12A	PROHIBITIONS Persons under influence, smoking, eating, drinking in procedure/instrument cleaning areas, procedures on unhealthy conditions																																																																																																																																																																												
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	12B	BODY ARTIST'S PRACTICES Handwashing between clients, new clean groves, fresh linens, instruments remaining packaged prior to use, cross-contamination prevention, supplies properly disposed, disinfection of procedure area																																																																																																																																																																												
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	12C	TATTOOING PROCEDURES Hectographic or single-use stencils for outlines, non-toxic single use markers for free hand, multi-use stencils only if disinfected prior to use, area cleaned and treated, unused ink properly disposed, excess ink properly removed after body area covered.																																																																																																																																																																												
<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	12D	BODY PIERCING PROCEDURES Needles are sterile, single use, manufactured for use, disposed properly, jewelry is new or disinfected, clean and good repair, studs-and-clasp used according to manufacturer																																																																																																																																																																												

Body Art Inspection Report

Page __2 of 2__

Facility Name: __Harbour Lights Social Club__

NUMBER	VIOLATION		CORRECT BY:
7N	Razors are being disposed of in the trash can. Razors shall be disposed of in the sharps container. Discussed with owner and corrected on site.		1/13
12B	Artist observed removing his glove, donning clean gloves and working on a client without washing his hands. Hands shall be washed in between glove changes. Discussed with artist, hands washed and issue corrected on site.		1/13
Comments:	Only disposable instruments are being used. All forms were complete and maintained as required.		
		Received by: <i>(Print Name)</i> Khang Tran, Owner	Title
Inspected by: Katie Paulson 720-865-5397 Katie.paulson@denvergov.org		Received by: <i>(Signature)</i> Via email on 1/13/15	